
HONDA

INSTALLATION INSTRUCTIONS

JUN. 2015

SPORTS PEDALS


GENERAL VIEW



FOR YOUR SAFETY (Read carefully)

Introduction of Symbol Messages

• These symbols warn you about the possible hazards and explain how to avoid them. And give you some advices.



Honda Access

Introduction of Icons

· These icons indicate the working place and the worker's vision.



The place for the vehicle.



Wear heavy gloves.

Press firmly.

Work perpendicularly.

Place the part on a blanket.

Use the touch-up paint and dry.

The place for the instrument panel.

These icons indicate the necessary things for your safety and the work. ٠



Wear eye protection.



Work with an assistant.



Remove any burrs.



Keep the parts and give it to the customer. (Not use)



Tighten by specified torque.




Clean with the contact cleaner.

Safety: General

- · Observe all safety notes and precautions described in the Shop Manual in addition to those described in this Installation Instructions. Be extremely careful for your safety and safety of others particularly.
- Be careful not to damage the vehicle and the parts.

PARTS LIST



TOOLS AND SUPPLIES REQUIRED

- 3.2 mm Hand riveter
- Pushpin
- Drill

- White marker
- Ruler
- 2 mm and 3.5 mm Drill bits
- File
- Tape
- Eye protection (face shield, safety goggles, etc.)

INSTALLATION

Installing the Acceleration Pedal Cover

NOTICE

- These installation instructions show the LHD models. Follow the same procedures to install on the RHD models.
- 1. Set the acceleration pedal cover.
- 2. Mark the acceleration pedal.


NOTICE

- Be sure to work after removing the ignition key.
- Hold the acceleration pedal cover firmly with your hand while marking.




MARK (Mark the center.)

WHITE MARKER



(Mark the center.)

- 3. Remove the acceleration pedal cover.
- 4. Mark the acceleration pedal.




QE10902AU

5. Drill the acceleration pedal.

NOTICE

• Hold the acceleration pedal firmly with your hand while drilling the hole.




QE10903AU

6. Secure the acceleration pedal cover.

NOTICE

- Make sure to prepare the correct rivet before proceeding with the installation.
- When holding down the acceleration pedal, make sure not to injure your fingers.




ACCELERATION PEDAL

HAND RIVETER (Pull out while fully holding down QE10904AU the acceleration pedal.)


Installing the Pedal Pad Covers

7. Remove the brake pedal cover.



NOTICE

• Make sure that the pedal cover is properly installed to the brake pedal.




PEDAL COVER

QC01511AH

8.

9. Install the pedal pad cover.




PEDAL PAD COVER

QC01512AH

10. Secure the pedal pad cover.

NOTICE

- Make sure to prepare the correct rivet before proceeding with the installation.
- When holding down the brake pedal, make sure not to injure your fingers.



- 11. Repeat steps 7 through 10 to install the pedal cover and pedal pad cover on the clutch pedal.
- 12. Check that all parts are installed properly. (End of installation)