

Honda Access Corp.

INSTALLATION INSTRUCTIONS

SEP. 2022

FLOOR MATS


CIVIC

GENERAL VIEW

The illustration is an example. The shapes and other aspects of the actual parts may differ from the images shown in the illustration.

<LHD models>

<RHD models>




QL01902AJ

FOR YOUR SAFETY (Read carefully)

Introduction of Symbol Messages

• These symbols warn you about the possible hazards and explain how to avoid them. The symbols also provide you with some advice.

You will be killed or seriously hurt if you do not follow the instructions.





A DANGER

Indicates prohibited actions.

Introduction of Icons

• These icons indicate the working place and the worker's viewing angle.



The place for the vehicle.



The place for the instrument panel.

• These icons indicate the necessary actions that need to be taken to ensure your safety and the success of the work.



Wear eye protection.



Work with an assistant.



Remove any burrs.



Keep the parts and give them to the customer. (Do not use)



Tighten by the specified torque.



Clean with the contact cleaner.



Wear heavy gloves.



Place the part on a blanket.



Use the touch-up paint and dry.



Press firmly.



Work perpendicularly.

Safety: General


- Be careful not to damage the vehicle and the parts.
- The illustrations may differ a little from the actual accessories for the design change of the vehicle.

Safety: For the Accessories


- Before you install the floor mats, check the installation positions.
- Holders are required to prevent the mat from sliding forward and possibly interfering with the pedals.
- When you replace the floor mat, use the factory-designed floor mats that are compatible with the holders.
- Do not place additional mats on top of the floor mats. The additional mats may slide forward and interfere with the pedal.
- Make sure to re-anchor the mats after you remove the floor mat.
- Identify each mat by the location mark on the back of each mat.

PARTS LIST

Floor Mat Kit (LHD Models)



Floor Mat Kit (RHD Models)



TOOLS AND SUPPLIES REQUIRED

- Flat-tip screwdriver
- Utility knife


INSTALLATION

Installing the Floor Mats


Follow the below guidance. 1.



2. Cut out the floor carpet.




З. Install the holders.




4. Install the driver's floor mat.


KNOB (Turn)



5. Cut out the floor carpet.



7. Install the passenger's floor mat.



QL01907BJ


08P14-T50-6000-90


6/8

2 HOLDERS

6.


9. Install the holders.






DRIVER'S FLOOR MAT QL01911AJ

11. Cut out the floor carpet.




2 HOLDERS

QL01913BJ



14. Install the left and right rear floor mats.



15. Check that all parts are installed properly. (End of installation)